

ATTESTATION OF CONFORMITY WITH EUROPEAN DIRECTIVE

A sample of the following product has been tested and is stated by Nemko to be in conformity with the applicable European standards referred below.

Product	LED Power Supply
Manufacturer	EAGLERISE ELECTRIC & ELECTRONIC (JI AN) CO., LTD West Zone, Ji An County Industrial Park, Ji an County Jiangxi Province China
Factory	EAGLERISE ELECTRIC & ELECTRONIC (JI AN) CO., LTD West Zone, Ji An County Industrial Park, Ji an County Jiangxi Province China
Project Number	PRJ0066702
Model/Type Ref.	LS-xx-yyy LI1 EXC, LS-60-yyyy LI EXC
TradeMark	(EAGLERISE), (ASTRAPOWER)



Ratings PRI: Max. 0.38 A, 220-240 V~, 50/60 Hz, SEC: Max. 60.9 W, max. 1.5 A, 15-58 Vd.c. (under load), Max. 68 Vd.c. (no-load).

Principal Characteristics

A sample of the product was tested and found to be in conformity with

EMC
EN 61000-3-3:2013;A1;A2
EN IEC 55015:2019;A11
EN IEC 61000-3-2:2019;A1
EN IEC 61547:2023

Safety
EN 61347-1:2015;A1
EN 61347-2-13:2014;A1

EMF
EN 62493:2015;A1

Signature



Yasaman Vadoudi
Certification department

Date of Issue

2024-11-20

*Working for a more sustainable future
Please do not print*



ATTESTATION OF CONFORMITY WITH EUROPEAN DIRECTIVE

Test Report Ref. No. REP066678 and REP067396

It may therefore be presumed that the tested sample of the product is in conformity with the technical provisions of the following European Directives including the latest amendments, and with national legislation implementing these Directives:

Low Voltage Directive 2014/35/EU
EMC Directive 2014/30/EU

Provided that other applicable Directive requirements are satisfied, the manufacturer (or the European authorized representative), may draw up an EC/EEA Declaration of Conformity and affix the CE-marking to each conforming product.

Additional Information See next page

Additional model(s) No additional models

Signature

Yasaman Vadoudi

Certification department

Date of Issue 2024-11-20

*Working for a more sustainable future
Please do not print*



ATTESTATION OF CONFORMITY WITH EUROPEAN DIRECTIVE

Additional Information

Independent type, SELV, constant current output, thermal protected 110 °C, ta: 45 °C, tc: 75 °C/ 80 °C/ 85 °C/ 90 °C.

Independent controlgear providing SELV output for LED module only, constant current output, the insulation between live parts and enclosure fulfils reinforced insulation, IP20, for indoor only.

Thermal protected 110°C for all models except LS-60-yyy LI EXC.

LS-xx-yy LI1 EXC:

The 'xx' in the type designation can be 8, 12, 15 or 21.

The 'yy' is for the output current and represents the number from 70 to 550, for example, 70 means the output current is 70 mA, 550 means the output current is 550 mA.

LS-60-yyy LI EXC:

The 'yyy' is for the output current and represents the number from 1050 to 1500, for example, 1050 means the output current is 1050 mA, 1500 means the output current is 1500 mA.

The product complies with standard: EN 61347-1:2015; EN 61347- 2-13:2014; EN IEC 61000-3-2:2014; EN 61000-3-3:2013; EN 61547:2009 listed in OJ.

Signature

Yasaman Vadoudi

Certification department

Date of Issue

2024-11-20

*Working for a more sustainable future
Please do not print*

Nemko Group AS
Philip Pedersens vei 11
1366 Lysaker, Norway
TEL +47 22 96 03 30
info@nemko.com
ENTERPRISE NUMBER
NO974404532

www.nemko.com

Page 3 of 3